

July 15, 2024



Nexans Voluntarily Recalls 12000495 2C12(1) AC90 CU ST1 ZERO HAL 150M Due to Undersized (14 AWG) Neutral Wire

The Electrical Safety Authority is notifying the public that Nexans has announced a voluntary recall of the following product. Users should follow the instructions outlined in this notice immediately or as soon as possible.

Name of Product: AC90 2 Conductor 12 AWG

Units: 30,000 m, 150 m per Spool, 202 Spools

Manufacturer/Importer: Nexans Canada Inc.

Manufactured in: Canada.

Hazard: Nexans Canada Inc. manufactured 12000495 2c12(1) AC90 incorrectly by using a 14AWG WHITE conductor in place of a 12AWG WHITE conductor.

Incidents/Injuries: None.

Sold by: Electrical Distributors across Canada

When distributed: Between January 3, 2023, and February 28, 2023.

Remedy: If the product has been installed, engage a qualified electrician to determine if the installed cable meets the appropriate electrical loading of the circuit of a 14 AWG cable. If the electrical loading is suitable for a 14 AWG cable, then the electrician must change the circuit electrical protection to meet the requirements of a 14 AWG conductor as required by the Canadian Electrical Code. If the product has been installed and meets the electrical loading of a 12 AWG conductor, then the cable needs to be removed and replaced with a 12 AWG cable that contains all conductors that are sized at 12 AWG.

Consumer Contact: Nexans Canada Inc. via email at Inside-sales.canada@nexans.com or call 905-944-4300 press 2 for inside sales.

Remarks: The recalled units are certified to Canadian Standards by the Canadian Standards Association. For more information about the Canadian Standards Association product certification process, please visit their web site.

Photo of Product and Label on a Spool of the Product



Product 12000495
2c12(1) AC90 CU
150M

PART NUMBER 12000495
2C12(1) AC90 CU ST1 ZERO HAL 150M
UPC
2 2089 10117 3

SIZE
12

M
150

2C12(1) AC90 CU 600V
CSA 22.2 NO.51 "LIMITED SMOKE"
2C12(1) AC90 CU 600V
CSA 22.2 NO.51 "LIMITED SMOKE"

#12
PLANT: CAPE DATE: 19-Sep-2022
FOR USE IN DRY LOCATION ONLY
CAUTION: DO NOT HANDLE BELOW 60°C
ATTENTION: NE PAS MANIPULER AU-DESSOUS DE 60°C

Production Date Range
02-Nov-2022 and
18-Nov-2022

Operator
ARM20 /
33223

NEXANS
MADE IN Canada
LL2342
5811-01
ARMOURD CABLE
OPERATOR: ARM20/75589